

Myers
Tire Supply
A Myers Industries Company

*Professional
Air Tools & Accessories*



800-998-9897
myerstiresupply.com



High-quality professional air tools



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53371 53254	MTS Pneumatic	Heavy-Duty	25-400 ft. lbs.	680 ft. lbs.	4.2 cfm	1/4"	3/8" ID	5.8
53696	CP7733-2	Heavy-Duty	25-400 ft. lbs.	550 ft. lbs.	4.75 cfm	1/4"	3/8" ID	5.8
53208	IR231HA-2	Heavy-Duty	25-350 ft. lbs.	590 ft. lbs.	4.2 cfm	1/4"	3/8" ID	6.1



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53282 53281	MTS Pneumatic	Lightweight	58-580 ft. lbs.	820 ft. lbs.	4 cfm	1/4"	3/8" ID	4.4
52962	IR 2135TI2		50-550 ft. lbs.	780 ft. lbs.	5 cfm	1/4"	3/8"	4.4



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53374 53372	MTS Pneumatic	Super-Duty	50-580 ft. lbs.	950 ft. lbs.	4 cfm	1/4"	3/8" ID	4.4
52962	IR 2135TI2		50-550 ft. lbs.	780 ft. lbs.	5 cfm	1/4"	3/8"	4.4



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53255	MTS Pneumatic	Compact 1/2" Dr.	25-300 ft. lbs.	960 ft. lbs.	4 cfm	1/4"	3/8" ID	3.6
53257	MTS Pneumatic	Compact 1/2" Dr.	25-300 ft. lbs.	960 ftl. lbs.	4 cfm	1/4"	3/8" ID	3.6
53698	CP 7732	Stubby 1/2" Dr.	102-310 ft. lbs.	450 ft. lbs.	4.76 cfm	1/2"	3/8" ID	2.86



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53286	MTS Pneumatic	Heavy-Duty	200-1200 ft. lbs.	1500 ft. lbs. Fwd./Rev.	7 cfm	3/8"	1/2" ID	7.6
53046	IR2145QiMAX		200-900 ft. lbs.	1350 ft. lbs.	8.5 cfm	3/8"	1/2" ID	7.4



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53289	MTS Pneumatic	Heavy-Duty	200-1200 ft. lbs.	1,500 ft. lbs.	7 cfm	3/8"	1/2" ID	8.77
53046	IR2145QiMAX		200-900 ft. lbs.	1350 ft. lbs.	8.5 cfm	3/8"	1/2" ID	7.4



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53370	MTS Pneumatic	1" Heavy Duty	400-1650 ft. lbs.	2,200 ft. lbs.	10 cfm	1/2"	1/2" ID	26.2
53057	IR 285B-6		100-900 ft. lbs.	1475 ftl. lbs.	10 cfm	1/2"	1/2" ID	27.8
53067	CP 7778-6		100-1100 ft. lbs.	1450 ft. lbs.		1/2"	1/2" ID	24.5



Order No.	Mfr. No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53256	MTS Pneumatic	1" Dr. Lightweight	200-1,500 ft. lbs.	1,800 ft. lbs.	10 cfm	1/2"	1/2" ID	16
53071	CP 7780-6		200-1,220 ft. lbs.	1,550 ft. lbs.	12 cfm	1/2"	1/2" ID	17



MTS 1/2" Impact Wrenches

- Twin hammer clutch
- Lightweight aluminum housing
- Five power settings
- Handle exhaust with comfort grip



53254



- Easy-to-reach forward and reverse



53371

Order No.	Description	Working Torque Range	Maximum Torque in Reverse	Avg. Air Consumption	Air Inlet Size	Minimum Hose Size	Weight Lbs.
53371	1/2" MTS Pneumatic Impact Wrench 2" Anvil	25-400 ft. lbs.	680 ft. lbs.	4.2 cfm	1/4"	3/8" ID	5.8
53254	1/2" MTS Pneumatic Impact Wrench Short Shank						
53371TUK Impact Wrench Maintenance Kit							



MTS 1/2" Lightweight Super Impact Wrenches

Seven composite rotor vanes for maximum torque

- Twin hammer clutch
- Lightweight composite motor housing
- Variable speed trigger
- Handle exhaust with comfort grip



53374



- Forward : 3 speeds
- Reverse : full power



53372

Order No.	Description	Free Speed (RPM)	Maximum Torque Ft-lbs (Nm) (Reverse)	Breakaway Torque Ft-lbs (Nm)	Working Torque Range Ft-lbs (Nm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Average Air Consumption CFM (L/Min)	Length Inch (mm)	Noise Level dB(A)	Ship Wt.
53372	1/2" Impact Wrench w/ 2" Anvil	7,500	950 (1,288)	1,300 (1,756)	50~580 (68~786)	1/4"	3/8" (10)	4 (113)	7 3/8" (185)	89	4.4 lbs.
53374	1/2" Impact Wrench Short Shank								9 1/2" (239)		
53372TUK	Impact Wrench Maintenance Kit										



MTS Compact Impact Wrenches

- Twin hammer clutch
- Aluminum handle with steel clutch housing
- Ultra compact and powerful
- Available in 1/2" or 3/8"



Order No.	Description	Free Speed (RPM)	Maximum Torque Ft-lbs (Nm) (Reverse)	Breakaway Torque Ft-lbs (Nm)	Working Torque Range Ft-lbs (Nm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Average Air Consumption CFM (L/Min)	Ship Wt.
53255	1/2" Compact Impact Wrench	10,000	500 (678)	960 (1,302)	25~300 (34~407)	1/4"	3/8 (10)	4 (113)	4 lbs
53257	3/8" Compact Impact Wrench								



MTS Flip Sockets

- 1/2" drive
- Standard and thin wall
- Myers exclusive double ribbed design
- Protective electro coating

01689



Order No	Description
01689	MTS Flip Socket Set
Replacement sockets	
01683	19mm Flip Socket
01686	21mm Flip Socket
01684	3/4" Flip Socket
01688	13/16" Flip Socket
01687	7/8" Flip Socket

MTS No-Mar Sockets

- 1/2" drive
- Remove wheel nuts without scratching the wheel or nuts
- Protective poly sleeve and internal plastic insert protects alloy wheels and decorative lug nuts

01201



01682



01681

Order No	Description
01201	MTS No-Mar Socket Set
Replacement sockets	
01204	17mm No-Mar Socket
01206	19mm No-Mar Socket
01207	21mm No-Mar Socket
01203	13/16" Flip Socket
01208	7/8" No-Mar Socket
01202	1" No-Mar Socket
01205	1-1/16" No-Mar Socket
Optional extensions - not included in 01201 kit	
01681	3" MTS 1/2" Quick Release Extension
01682	5" MTS 1/2" Quick Release Extension

800-998-9897



MTS 1/2" Dr. 13 Piece SAE Deep Impact Socket Sets

From 7/16" through 1-1/4"

- Heavy-duty molded case
- Large visible markings for quick identification

Order No	Description
01602	13 Piece SAE Deep Impact Socket Set

Order No	Size	Order No	Size	Order No	Size	Order No	Size
07270	7/16"	01363	11/16"	01367	15/16"	07299	1 1/4"
01360	1/2"	01364	3/4"	01368	1"		
01361	9/16"	01365	13/16"	01369	1 1/8"		
01362	5/8"	01366	7/8"	01370	1 1/8"		



MTS 1/2" Dr. 14 Piece Metric Deep Impact Socket Sets

From 10mm through 27mm

- Heavy-duty molded case
- Large visible markings for quick identification

Order No	Description
01604	14 Piece Metric Deep Impact Socket Set

Order No	Size	Order No	Size	Order No	Size	Order No	Size
01351	10mm	07241	14mm	07247	18mm	01358	26mm
01352	11mm	07242	15mm	07248	19mm	01359	27mm
01353	12mm	01355	16mm	01356	21mm		
01354	13mm	07245	17mm	01357	22mm		





MTS 1/2" Dr. 40 Piece Metric Impact Socket Sets

Order No	Description
04628	MTS 1/2" Drive 40 Piece Metric Impact Socket Set

Standard

Order No	Size	Order No	Size
01732	9 mm	01622	19 mm
01594	10 mm	01743	20 mm
01595	11 mm	01623	21 mm
01596	12 mm	01624	22 mm
01597	13 mm	01747	23 mm
07271	14 mm	01292	24 mm
07272	15 mm	01599	26 mm
01598	16 mm	01600	27 mm
01621	17 mm	01753	30 mm
07277	18 mm		

Deep

Order No	Size	Order No	Size
01733	9 mm	07248	19mm
01351	10 mm	01290	20mm
01352	11 mm	01356	21mm
01353	12 mm	01357	22mm
01354	13 mm	01291	23mm
07241	14 mm	01293	24mm
07242	15 mm	01358	26mm
01355	16 mm	01359	27mm
07245	17 mm	02485	30 mm
07247	18 mm		

07301	Universal Joint
01470	5" Extension



MTS Impact Socket Extensions

Order No.	Male End	Female End
01492	3"	1/2"
01470	5"	1/2"
01472	7"	3/4"
01474	13"	3/4"
01473	7"	1"
01493	13"	1"






MTS 1" Impact Wrench

Integrated nose cone protection

- Handle with inside trigger
- Pinless clutch mechanism
- 7.6" anvil



Order No.	Description	Free Speed (RPM)	Maximum Torque Ft-lbs (Nm) (Reverse)	Working Torque Range Ft-lbs (Nm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Average Air Consumption CFM (L/Min)	Length Inch (mm)	Ship Wt.
53370	1" Impact Wrench with 7.6" Extended Shank	5,000	2,200 (2,983)	400~1,650 (542~2,237)	½"	½" (13)	10 (282)	20 (497)	26.2
53370TUK	Impact Wrench Maintenance Kit for 53370								

MTS 1" Lightweight Impact Wrench

Weighs only 16 lbs.

- Twin hammer clutch
- Handle with inside trigger
- 7.1" anvil



Order No.	Description	Free Speed (RPM)	Maximum Torque Ft-lbs (Nm) (Reverse)	Working Torque Range Ft-lbs (Nm)	Air Inlet (NPT)	Hose Size ID Inch (mm)	Average Air Consumption CFM (L/Min)	Length Inch (mm)	Ship Wt.
53256	1" Lightweight Impact Wrench	10,000	1,800 (2,441)	200 ~1,500 (271~2,033)	½"	½" (13)	10 (282)	18-¾" (466)	16.1



MTS Heavy Duty Low Speed Buffer

- Includes quick change chuck
- 30" rear exhaust and whip hose
- Leaver style throttle
- Anodized aluminum body
- Heavy-duty gears



Order No.	Description	Free Speed (RPM)	Chuck Size	Air Inlet (NPT)	Hose Size ID Inch (mm)	Average Air Consumption CFM (L/Min)	Air Pressure Required	Length Inch (mm)	Ship Wt.
31679	MTS Low Speed Buffer	2,600	3/8"	1/4"	3/8" (10)	4	90 psi	8" (203)	1.9 lbs
31680	Replacement Exhaust Hose								

MTS Right Angle Mini Die Grinder

- Ergonomic anti-fatigue grip
- Quieter than competitive models
- Easy finger operated variable air flow adjustment
- High-efficiency powerful motor



Order No.	Description	Free Speed (RPM)	Collet	Air Inlet (NPT)	Hose Size ID Inch (mm)	Average Air Consumption CFM (L/Min)	Air Pressure Required	Length Inch (mm)	Noise Level	Ship Wt.
31642	MTS Right Angle Mini Die Grinder	20,000	1/4"	1/4"	3/8" (10)	4	90 psi	6 1/2" (165)	77db(A)	1.9
31661	Optional 1/8" Collet									



MTS Pneumatic Bead Breaker

- For agricultural, OTR and truck tires
- Regulated pneumatic gun reduces the risk of bead damage
- Handle exhaust
- 2 11/16" Jaw opening
- Race actuator 3 1/8"
- Includes storage case



Includes storage case

Order No.	Description	Jaw Opening	Air Inlet (NPT)	Hose Size ID Inch (mm)	Average Air Consumption CFM (L/Min)	Weight
52006	MTS Pneumatic Bead Breaker	2 11/16"	1/4"	3/8" (10)	4 (113)	10 (5)



Wheel Nut & Stud Cleaning Kit

- Everything needed to easily clean wheel nut and stud components
- Clean components are required for precise wheel torquing



Order No.	Description
64010	Fleet Wheel Nut & Stud Cleaning Kit

All wheel manufacturers recommend cleaning the nuts and studs whenever a tire is serviced.

Order No.	Size	Length	Description
64013*	20mm	37mm	Grey Stud Cleaner
64017*			Repl. Inner Brush for 64013
64012*	22mm	37mm	Red Stud Cleaner for Steel Wheels
64028	22mm	85mm	Stud Cleaner
64014*	24mm	37mm	Blue Stud Cleaner
64019*			Repl. Inner Brush for 64014
64015*	30mm	60mm	Black Stud Cleaner
64018*			Repl. Inner Brush for 64015
64016*			Repl. Inner Brush for 64012
64022*	30mm		Nut Cleaning Brush
64020*	20mm		Nut Cleaning Brush
64023*			Bolt Hole Brush
64025*	22mm		Nut Cleaning Brush
64011*			¼" Reversible Air Tool

Order No.	Size	Length	Description
64027	13mm	60mm	Car Stud Cleaner
64029			Repl. Inner Brush for 64027
64021*	24mm		Nut Cleaning Brush

*INCLUDED IN KIT